

	L #	Hits	Search Text	DBs
1	L1	354	dispatch\$4 NEAR10 layer	USPAT; US-PGPUB
2	L2	2868	(server or host) NEAR10 (daemon or servlet\$4)	USPAT; US-PGPUB
3	L3	23979	(bind or tie or assign) NEAR20 ("same" or cluster)	USPAT; US-PGPUB
4	L4	136390	(modif\$8 or translat\$8) NEAR10 (address\$4 or port\$4)	USPAT; US-PGPUB
5	L5	76	1 and 2	USPAT; US-PGPUB
6	L6	8	1 and 3	USPAT; US-PGPUB
7	L7	99	1 and 4	USPAT; US-PGPUB
8	L8	137	2 and 3	USPAT; US-PGPUB
9	L9	526	2 and 4	USPAT; US-PGPUB
10	L10	3096	3 and 4	USPAT; US-PGPUB
11	L11	5	10 and 1	USPAT; US-PGPUB
12	L12	65	10 and 2	USPAT; US-PGPUB
13	L13	10	ND NEAR2 cluster	USPAT; US-PGPUB

	L #	Hits	Search Text	DBs
14	L14	3732	(TCP/IP or TCP) NEAR5 layer	USPAT; US-PGPUB
15	L15	11	14 SAME 1	USPAT; US-PGPUB
16	L16	310	14 NEAR5 (between or middle or surround)	USPAT; US-PGPUB
17	L17	1	16 and 1	USPAT; US-PGPUB
18	L18	176	14 and 2	USPAT; US-PGPUB
19	L19	181	14 and 3	USPAT; US-PGPUB
20	L20	1009	14 and 4	USPAT; US-PGPUB
21	L21	85	14 and 9	USPAT; US-PGPUB
22	L22	81	14 and 10	USPAT; US-PGPUB
23	L23	6	dingsor-and\$40.inv.	USPAT; US-PGPUB
24	L24	8	NAT and 1	USPAT; US-PGPUB
25	L25	86	NAT and 2	USPAT; US-PGPUB
26	L26	3054	NAT and 3	USPAT; US-PGPUB

	L #	Hits	Search Text	DBs
27	L27	4576	NAT and 4	USPAT; US-PGPUB
28	L28	78	NAT and 9	USPAT; US-PGPUB
29	L29	947	NAT and 10	USPAT; US-PGPUB
30	L30	1048	NAT SAME 4	USPAT; US-PGPUB
31	L31	2	fontes-step\$40.inv.	USPAT; US-PGPUB
32	L32	91887	IBM	USPAT; US-PGPUB
33	L33	82	32 and 1	USPAT; US-PGPUB
34	L34	929	32 and 2	USPAT; US-PGPUB
35	L35	1302	32 and 3	USPAT; US-PGPUB
36	L36	9287	32 and 4	USPAT; US-PGPUB
37	L37	61	32 and 8	USPAT; US-PGPUB
38	L38	170	32 and 9	USPAT; US-PGPUB
39	L39	353	32 and 10	USPAT; US-PGPUB

	L #	Hits	Search Text	DBs
40	L40	2	32 and 13	USPAT; US-PGPUB
41	L41	708	32 and 14	USPAT; US-PGPUB
42	L42	54	32 and 16	USPAT; US-PGPUB
43	L43	179	32 and 26	USPAT; US-PGPUB
44	L44	269	32 and 27	USPAT; US-PGPUB
45	L45	60	dispatch\$4 NEAR10 layer	EPO; JPO; DERWENT
46	L46	164	(server or host) NEAR10 (daemon or servlet\$4)	EPO; JPO; DERWENT
47	L47	2620	(bind or tie or assign) NEAR20 ("same" or cluster)	EPO; JPO; DERWENT
48	L48	12556	(modif\$8 or translat\$8) NEAR10 (address\$4 or port\$4)	EPO; JPO; DERWENT
49	L49	207	(TCP/IP or TCP) NEAR5 layer	EPO; JPO; DERWENT
50	L50	56835	NAT	EPO; JPO; DERWENT
51	L51	0	ND NEAR2 cluster	EPO; JPO; DERWENT
52	L52	0	46 and 47	EPO; JPO; DERWENT

	L #	Hits	Search Text	DBs
53	L53	0	46 and 48	EPO; JPO; DERWENT
54	L54	0	46 and 49	EPO; JPO; DERWENT
55	L55	1	46 and 50	EPO; JPO; DERWENT
56	L56	3	47 and 48	EPO; JPO; DERWENT
57	L57	1	47 and 49	EPO; JPO; DERWENT
58	L58	14	47 and 50	EPO; JPO; DERWENT
59	L59	1	48 and 49	EPO; JPO; DERWENT
60	L60	200	48 and 50	EPO; JPO; DERWENT
61	L61	1	49 and 50	EPO; JPO; DERWENT
62	L62	3	dingsor-and\$40.inv.	EPO; JPO; DERWENT; IBM_TDB
63	L63	0	fontes-step\$40.inv.	EPO; JPO; DERWENT; IBM_TDB
64	L64	126899	IBM	EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
65	L65	10	64 and 46	EPO; JPO; DERWENT
66	L66	10	64 and 47	EPO; JPO; DERWENT
67	L67	356	64 and 48	EPO; JPO; DERWENT
68	L68	2	64 and 49	EPO; JPO; DERWENT
69	L69	11	64 and 50	EPO; JPO; DERWENT
70	L70	2	dispatch\$4 NEAR10 layer	IBM_TDB
71	L71	32	(server or host) NEAR10 (daemon or servlet\$4)	IBM_TDB
72	L72	36	(bind or tie or assign) NEAR20 ("same" or cluster)	IBM_TDB
73	L73	673	(modif\$8 or translat\$8) NEAR10 (address\$4 or port\$4)	IBM_TDB
74	L74	6	(TCP/IP or TCP) NEAR5 layer	IBM_TDB
75	L75	8	NAT	IBM_TDB
76	L76	0	ND NEAR2 cluster	IBM_TDB